



## SHOWER DOOR IGLOO PRO STR 100 CLEAR GLASS BLACK

Item number: 1450317

Quickly installed straight shower door in clear glass with profiles in black matt or aluminum. Practical reversible shower door that is easily turned inwards when not in use and fits the smaller bathroom. The shower door is stable with a wall profile in black lacquered aluminum that can be mounted with a screw or glue trays. Easily installed and adjusted by one person, InstaQuick™. The shower door has a lifting hinge so that it does not touch the floor when opening and is reversible. The shower door can be combined with other doors and screens in the IglooPro series. 6 mm toughened safety glass. Height 2000 mm. Can be mounted with surface-mounted pipes, cc 35 mm. 22 mm door seal and handle included.

25 year  
WARRANTY



Listad i Svanens  
Husproduktportal



### DETAILED INFORMATION

<b>Item number</b>		<b>Material and surface treatment</b>	
NOBB	60049028	Main material	Safety glass, Aluminum
EAN	7330027147581	Surface treatment	Lacquered
<b>Standards and classifications</b>		Glass	Clear glass
EN standard	EN14428	Color	Black
CE marked	Yes	<b>Packaging dimensions and weight</b>	
ETIM	EC010962	Package width (m)	1,040
BVB id	164405	Package height(m)	2,080
EPD HUB id	HUB-2147	Package depth(m)	0,065
<b>Product dimensions and weight</b>		Package weight(kg)	34,500
Height (mm)	2000		
Width	975		
Width max (mm)	985		
Width min. (mm)	965		
Depth (mm)	27		
Glass thickness (mm)	6		
Hinge lift height (mm)	4		
Floor gap max. (mm)	8		
Net weight (kg)	32,5		
Left/right model	Vändbar		

## CARE INSTRUCTIONS

---

To facilitate the cleaning of shower doors and shower walls, the showers have large smooth surfaces and profiles without deep grooves. Discolouration is removed using citric or tartaric acid, rinse thoroughly afterwards. Limescale stains are removed using household vinegar warmed to 50 degrees: Rub it in, let it act, rinse away. Repeat for tough stains. Use rubbing alcohol to remove grease stains.

[Read more on hafa.eu](https://hafa.eu)